Ricoh 5th Color Station Pro C7100X / C7110X / C7100SX / C7110SX

Creating the 5th Color – White, for use on Colored Media



This tutorial will explain and demonstrate how to print a White Spot Color onto Colored Media (red in this case), and provide an area which can be overprinted with CMYK via second pass.


In this example, a swatch and layer will be created in Illustrator and will use an image, which will show through specific areas on the print.


This is a **2-Pass Process**, where the 5th Color layer is printed first, followed by CMYK. The areas that do not have a 5th Color base layer will show the colored media through the CMYK artwork. 2 PDF files will be created and printed, resulting in one final print.

1. Open or create the InDesign / Illustrator file you are looking to enhance with White Toner.


2. Create a New Swatch.


- a. Name the swatch "White."
- b. Select "Spot Color" for Color Type.
- c. It's recommended to choose a color that stands out, such as 100% Magenta, to easily see where the White will print.






3. The White / Magenta Spot Color will represent the White Toner.






5. Create an Artwork layer and a 5th Color layer in the layout. The 5th Color layer will become the 1st Pass White Toner Base Layer. The Artwork layer will become the 2nd Pass CMYK Layer.





(Eyeball icon indicates layer visibility)





6. Position shape for effect.

(It may be useful to use some masking and multiplying effects to simulate the final look, prior to prepping the file and exporting the PDFs.)





- 4. The amount of toner density can be adjusted in the color panel on the Density Scale.
 - a. From the Menu bar select "Window" then "Color" to display the Color Panel. If the Density Scale is not displayed, select Show Options. b. Drag the Density Scale or enter the percentage in the box to adjust the density.

×	44	
¢ Color		Show Options
		Grayscale RGB HSB V CMYK





50% 5th Color 100% 5th Color

The "Lightning Bolt" will be used as the 1st Pass White Toner base layer. Part of the Bolt will print only 50% white, creating a partial coverage effect.

Continued on back page

RICOH imagine. change. 7. After the design / layout is finalized, isolate elements and export 2 PDFs.



8. Save the First file to contain only the 5th Color, White Layer. (Only the isolated 5th Color layer should be visible.)

Save the **Second file** to contain only the **CMYK Artwork Layer**. (Only the CMYK artwork should be visible.)

To save the 2 individual files with only their specific layers, simply **Turn Off** the layer that isn't required by clicking the "**Eyeball**" icon on the Layers panel (shown in **Step 5**).

Export 2 PDF files as PDF/X-4 (PDF1.6 or newer).
The First file should be the 5th Color, White Layer only.
The Second file should be the CMYK Artwork Layer only.

		Export	Adobe PDF		
Adobe PDF Preset	[PDF/X-4:2008]	DF/X-4:2008]			
Standard: PDF	PDF/X-4:2010	\	Compatibility:	Acrobat 7 (PDF 1.6)	•
General	General				
Compression Marks and Bleeds Output Advanced Security	Description:	Use these settings to create Adobe PDF documents that are to be checked or must conform to PDF/X-4:2008, an ISO standard for graphic content exchange. For more information on creating PDF/X-4 compliant PDF documents, please refer to the Acrobat User Guide. Created PDF documents can be opened with Acrobat and			
Summary	Pages O All O Range: O Pages O Spreads				

10. Print the **5th Color, White Layer** PDF first. Once the 1st pass is completed, then print the **CMYK Artwork Layer** PDF.

Refer to "Printing the 5th Color from Fiery[®] Command WorkStation" for steps on Printing PDFs.

